

ReduCE: A Reduced Coulomb Energy Network
Method for Approximate Classification

slightly less complete) and also that the classifier is able to induce new knowledge



Fig. 1. The structure of a Reduced Coulomb Energy network.

Note that normally

input

$$TrSet = fhx_i; h_a(x_i)$$




Fig. 3. Evolution of the model built by a RCE network: the centers of the hyperspheres represent the prototypical individuals.

2.3 Classification

The classification of a query individual x_q using the trained RCE network is quite simple in principle. As shown in the basic (*vanilla*) form of the classification algorithm depicted in Fig. 4, the set $N(x_q) \subseteq TrSet$

Fig. 5. A representation of the model built by an RCE network used for classification: regions with different colors represent different classifications for instances therein. The areas with overlapping colors or outside of the scope of the hyperspheres represent regions of uncertain classification (see the proposed enhancement of the procedure in this case).

the k NN procedure [4]. It is convenient to decompose the decision function $g(x)$ in three components corresponding to the values $v \in V : g_v(x)$ and use those

would be: $s(a; b) = 1 - d(a; b)$ or $s(a; b) = 1 - d(a; b)$. The latter case needs

Table 1. Facts concerning the ontologies employed in the experiments.

ontology	DL language	#concepts	#object prop.	#data prop.	#individuals
----------	-------------	-----------	---------------	-------------	--------------

Table 2. Results of the first session with uncertainty threshold =

Table 3. Results of the second session with uncertainty threshold = .7 and minimum

- [4] C. d'Amato, N. Fanizzi, and F. Esposito. Query answering and ontology population: An inductive approach. In S. Bechhofer and et al., editors, *Proceedings of*